COMPONENTS:

1. Ammonium trihydrogen diselenite; $NH_4H_3(SeO_3)_2$; [25425-97-2]

2. Water; H₂O; [7732-18-5]

ORIGINAL MEASUREMENTS:

Janickis. J.

2. Anorg. Allgem. Chem. 1934, 218, 89-103.

VARIABLES:

Temperature: 258 - 303 K

PREPARED BY:

Mary R. Masson

EXPERIMENTAL VALUES:

t/°C	$NH_4H_3(SeO_3)_2$ mass %	$\text{NH}_4\text{H}_3(\text{SeO}_3)_2^a$ mo1/kg
-14.8 -10.3 - 5.8 + 0.1 8.8 18.0	60.08 64.58 68.70 73.61 79.30 85.11	5.473 6.631 7.982 10.144 13.932 20.787
30.0	91.62	39.760

a Molalities calculated by the compiler.

AUXILIARY INFORMATION

METHOD APPARATUS/PROCEDURE:

For each temperature, a saturated solution was prepared by stirring the salt in water inside a stoppered 4-cm diameter test-tube. Small samples of solution were removed at intervals for analysis, in order to test for attainment of equilibrium. The time required varied between 2 and 14 hr. The solutions were analysed for SeO₂ by the method of Norris and Fay (1).

SOURCE AND PURITY OF MATERIALS:

ESTIMATED ERROR:

Temperature: $-20 - 0^{\circ}C \pm 0.2^{\circ}C$, $0 - 60^{\circ}C \pm 0.1^{\circ}C$.

REFERENCES:

 Norris, J.F.; Fay, H. Amer. Chem. J. 1896, 18, 703; 1900, 23, 119.

COMPONENTS:

- Ammonium trihydrogen diselenite; NH₄H₃(SeO₃)₂; [25425-97-2]
- 2. Water; H₂O; [7732-18-5]

ORIGINAL MEASUREMENTS:

Janickis, J.; Gutmanaite, H.

Z. Anorg. Allgem. Chem. 1936, 227, 1-16.

VARIABLES:

Temperature: 258 - 273 K

Composition

PREPARED BY:

Mary R. Masson

EXPERIMENTAL VALUES:

Composition of equilibrium solutions

t/°C	$\mathrm{NH_4H_3(SeO_3)_2}$	$\mathrm{NH_4H_3(SeO_3)_2}$	$\mathrm{NH_4H_3(SeO_3)_2}^{\mathrm{a}}$	Solid
	mo1/dm ³	mass %	mol/kg	phase
-0.147	0.02	0.549	0.0201	ice
-0.335	0.05	1.365	0.0503	**
-0.595	0.1	2.71	0.1011	11
-1.055	0.2	5.32	0.2043	11
-2.435	0.5	12.94	0.540	11
-4.385	1	24.73	1.112	11
-8.6	2	40.89	2.516	11
-12.85	3	54.60	4.37	11
-14.8	satd.	60.08	5.46	$ice + NH_4H_3(SeO_3)_2$

a Molalities calculated by the compiler.

AUXILIARY INFORMATION

METHOD APPARATUS/PROCEDURE:

Freezing points of prepared solutions were measured by use of a Beckman-type apparatus (1). Determinations were repeated until the desired reproducibility was attained. Each reported value is the mean of at least three determinations.

SOURCE AND PURITY OF MATERIALS:

Ammonium trihydrogen diselenite was prepared from selenious acid and ammonia solution.

ESTIMATED ERROR:

Temperature reproducibility 0.5%

REFERENCES:

 Ostwald, W.; Luther, R. Hand- und Hilfsbuch zur Ausfuhrung physikochemischer Messungen, 5th Ed., Akademische Verlag., Leipzig, 1931.